




LedKoning

WARM WIT COB LED STRIP

504
LEDS P/M



Warm Wit







SPECIFICATIES



Dimbaar	Ja		
3M plakstrip over gehele lengte	Ja		
Garantie	2 jaar		
Op maat te knippen	Elke 4 cm		
Aantal LED's p/m	504		
Type LED	COB		
Stralingshoek	180 graden		
Kleur	Warm Wit		
Kleurtemperatuur (Kelvin)	2700		
CRI	95.4		
Lichtsterkte (lumen) p/m	966.8		
Aantal branduren	50.000		
Voltage (DC)	24V		
Watt - vermogen p/m	14.26W		
Lumen per Watt	67.80		
Watt per LED	0,029		
Bescherming	IP20, IP65 of IP67		
Materiaal waterdichte bescherming (IP65/IP67)	Siliconen		
Achtergrond kleur strip (PCB)	Wit		
Plakstrip	IP20: 3M 300LSE	IP65: 3M VHB	P67: 3M VHB
Breedte led strip	IP20: 10mm	IP65: 12mm	IP67: 12mm
Dikte led strip	IP20: 1,7mm	IP65: 3,7mm	IP67: 3,7mm
Aansluiting begin	5.5x2.1 DC stekker type vrouw		
Aansluiting einde	5.5x2.1 DC stekker type man		

TECHNISCHE TEKENINGEN


IP20




IP65/67




IP20



IP65




IP67





1M COB WARM WIT- 504 LEDS P/M



Color Parameters:

Chromaticity Coordinate: $x=0.4654$ $y=0.4138$ $u'=0.2646$ $v'=0.5294$
 CCT=2649K (Duv=0.0007) Dominant WL:Ld =584.2nm Purity=63.9%
 Ratio:R=27.2% G=70.6% B=2.2% Peak WL:Lp=628.0nm FWHM=145.6nm
 Render Index:Ra=95.4 AvgR=93.3

R1 =96 R2 =97 R3 =96 R4 =97 R5 =96 R6 =97 R7 =95
 R8 =88 R9 =72 R10=92 R11=97 R12=89 R13=97 R14=97 R15=93

Photo Parameters:

Flux = 966.8 lm Eff. : 67.80 lm/W Fe = 3.545 W

Electrical parameters:


V = 23.998 V I = 0.5942 A P = 14.26 W PF = 1.000
 LEVEL:OUT WHITE:ANSI_2700K

Status: Integral T = 173 ms Ip = 51006 (78%)



CE CERTIFICAAT

AN TENG TESTING CERTIFICATION



WWW.ANTENGLAB.COM
 Tel:86-755-27724522
 Fax:86-755-27724533

Declaration of Conformity

Certification No. : ATT20061200232E
Applicant : Ledkoning
Address : Rietveldenweg 49D 5222AP 's Hertogenbosch, The Netherlands
Manufacturer : Ledkoning
Address : Rietveldenweg 49D 5222AP 's Hertogenbosch, The Netherlands
Certification Marking : CE-EMC
Product Description : COB LED Strip


Model :
CBWWLS504-01M2420, CBWWLS504-02M2420, CBWWLS504-03M2420, CBWWLS504-04M2420, CBWWLS504-05M2420, CBWWLS504-01M2465, CBWWLS504-02M2465, CBWWLS504-03M2465, CBWWLS504-04M2465, CBWWLS504-05M2465, CBHWLS504-01M2420, CBHWLS504-02M2420, CBHWLS504-03M2420, CBHWLS504-04M2420, CBHWLS504-05M2420, CBHWLS504-01M2465, CBHWLS504-02M2465, CBHWLS504-03M2465, CBHWLS504-04M2465, CBHWLS504-05M2465, CBWWLS360-01M2420, CBWWLS360-02M2420, CBWWLS360-03M2420, CBWWLS360-04M2420, CBWWLS360-05M2420, CBWWLS360-01M2465, CBWWLS360-02M2465, CBWWLS360-03M2465, CBWWLS360-04M2465, CBWWLS360-05M2465, CBHWLS360-01M2420, CBHWLS360-02M2420, CBHWLS360-03M2420, CBHWLS360-04M2420, CBHWLS360-05M2420, CBHWLS360-01M2465, CBHWLS360-02M2465, CBHWLS360-03M2465, CBHWLS360-04M2465, CBHWLS360-05M2465.

Trademark : N/A


The above products have been tested by us with listed standards and found in compliance with the Directive 2014/35/EU. It is possible to use CE marking to demonstrate the compliance with this Directive.

Test Standards	EN 55015: 2019 EN 61547: 2009 EN 61000-3-2:2019 EN 61000-3-3: 2013+A1:2019
-----------------------	---

The certificate is based on a single evaluation of tested samples of above-mentioned product. It does not imply an assessment of the whole production and does not permit the use of the test laboratory logo.



Authorized Signer: Joseph Yang / Manager
 June 15, 2020



Shenzhen An-Teng Testing Service Co., Ltd
 Room 402-405, Floor 4th, Building C, Yuxing Technology Industrial Park, Xixiang Street, Bao 'An District, Shenzhen, Guangdong, China

Adres: Rietveldenweg 49D, 5222AP 's Hertogenbosch
 Tel: +3173 704 1100
 E-mail: info@ledkoning.nl
 Website: www.ledkoning.nl